



Pediatrics Tip Sheet for ICD-10

Diagnosis	Documentation Requirements		
Asthma	Document type: - Intermittent - Persistent	Document severity: - Mild - Moderate - Severe	Document status: - Uncomplicated - w/acute exacerbation Or -w/ status asthmaticus
Bronchitis	Document severity: - Acute - Chronic	If acute, document: - Causal organism, when known	If chronic, document: -Simple -Mucopurulent Or -Both
Congenital Pneumonia	Document organism, when known		
Diabetes	Document type: - Type I or - Type II	Document associated complications, such as: -Diabetic peripheral angiopathy - Diabetic autonomic neuropathy - Diabetic foot ulcer	Document insulin control status: -Inadequately controlled -Out of control Or -Poorly controlled
Drug Underdosing	Document type: - Intentional versus - Unintentional	Document reason for underdosing, such as: -Financial hardship or - Age related dementia	
Epilepsy	Document: - Intractable versus not intractable And - With or without status epilepticus	Specify type: - Localization-related idiopathic or symptomatic - Simple partial or complex partial seizures - Generalized idiopathic	Identify any special epileptic syndromes: - Seizures related to alcohol, drugs, sleep deprivation, etc. Include descriptions of poorly controlled pharmacoresistant, treatment resistant and refractory
Feeding Problems with Newborn	Document specific cause: - Regurgitation and rumination - Slow feeding - Underfeeding - Overfeeding - Difficulty with breast feeding		
Length of Gestation and Fetal Growth	Document issues related to fetal growth, specify if for gestational age the infant is: - Light - Small or - Heavy	Document conditions related to birth weight, document if infant birth weight is: - Extremely low - Exceptionally large Or - Other heavy birth weight infant	Document conditions related to short or long gestation: - Extremely immature - Premature - Post-term Or - Prolonged
Leukemia	Document type: - Acute - Chronic	Document specific type: - Acute lymphoblastic - Chronic lymphocytic of B-cell type - Polymphocytic of B-cell type - Hairy cell - Polymphocytic of T-cell type - Mature B-cell, Burkitt-type	Document remission-relapse status for each patient visit: - Not having achieved remission - In remission Or - In relapse



Pediatrics Tip Sheet for ICD-10

Diagnosis	Documentation Requirements		
Malnutrition	Document type, such as: - Protein calorie - Protein energy	Document severity: - Mild or 1 st degree - Moderate or 2 nd degree - Severe or 3 rd degree	Document BMI
Neonatal jaundice	Document etiology: - Isoimmunization (Rh, ABO, other hemolytic diseases) - Excessive hemolysis (bruising, bleeding, infection, drugs or toxins given to newborn/transmitted from mother) - Preterm delivery, inspissated bile syndrome, breast milk inhibitor - Other syndromes or conditions (Crigler-Najjar, Gilbert, galactosemia, mucoviscidosis, congenital hypothyroidism) - If a poisoning or adverse effect, document the specific drug or toxin and if given to mother or newborn.		
Neoplasms	Document specific site Document laterality: - Right - Left - Bilateral	Detail when a patient has presented for a specific treatment related to the neoplasm (e.g., surgical removal, chemotherapy, immunotherapy, radiation therapy)	Document morphology: - Malignant - Benign - In situ - Uncertain behavior - Unspecified behavior
Obesity	Document etiology: - Due to excess calories or nutritional - Due to drugs - Other, for example, due to thyroid or pituitary disorder	If morbidly obese , also document if with alveolar hypoventilation	Document BMI
Omphalitis of Newborn	Document type, with or without: - Mild Hemorrhage		
Respiratory Distress Syndrome	Document type: - Type 1 - Type 2 - Transient tachypnea of newborn		
Sepsis	Document: - Systemic type or causal organism Do NOT use the term UROSEPSIS (consider UTI with Sepsis) Document: Present on admission vs. hospital acquired	Document: - Circulatory failure related to Sepsis and/or Septic Shock - Severe Sepsis with specific related acute organ dysfunction	Document: - Related local infections (Pneumonia, Cellulitis, UTI, Catheter related UTI, Infected Dialysis Catheter, etc.)
Tobacco Use Disorder	Document type: - Cigarettes - Chewing tobacco - Other Delineate between: - Tobacco use/abuse - Tobacco dependence	Document state of dependence: - In remission - With withdrawal - Without withdrawal	Document if used during pregnancy, childbirth, puerperium Describe history, including product and time
Umbilical Hemorrhage of Newborn	Document, "massive" when applicable: - Massive umbilical hemorrhage is based on your clinical judgment		



Pediatric Intensivists Tip Sheet for ICD-10

Diagnosis	Documentation Requirements		
ADD and ADHD	Document type: - Predominantly inattentive - Predominantly hyperactive - Combined type		
Anemia	Document Type: - Nutritional deficiency (iron, Vit B12, folate, protein, etc.) - Hemolytic (enzyme disorder, thalassemia, etc.) - Sickle cell (with or without crisis) with acute chest syndrome or splenic sequestration - Aplastic (drug induced, idiopathic, etc.) - Blood loss (acute, chronic, postoperative)	Document cause: - Neoplastic disease - Chronic kidney disease Document underlying cause if known	Document any alcohol or drug use, abuse, dependence or past history Specify name of medication or drug with purpose of its use
Asthma	Document type: - Intermittent - Persistent	Document severity: - Mild - Moderate - Severe	Document status: - Uncomplicated - w/acute exacerbation Or -w/ status asthmaticus
Bipolar	Document current episode: - Hypomanic - Manic - Depressed - Mixed	Specify severity for manic and depressed episodes: - Mild - Moderate - Severe w/o psychotic symptoms - Severe w psychotic symptoms	Indicate status: - Full remission - Partial remission
Bronchitis	Document severity: - Acute - Chronic	If acute, document: - Causal organism, when known	If chronic, document: -Simple -Mucopurulent Or -Both
Dehydration	Document: - Hypertonic - Hypotonic		
Dermatitis	Document type such as: - Atopic - Seborrheic - Diaper - Allergic - Irritant	Document drug or substance causing irritation: - Metal - Detergents - Plants - Cosmetics	If dermatitis is due to ingested substance, document if: - Substance - Medicine - Food Document name of substance Document intention and circumstances around swallowing substance
Diabetes	Document type: - Type I or - Type II	Document associated complications, such as: -Diabetic peripheral angiopathy - Diabetic autonomic neuropathy - Diabetic foot ulcer	Document insulin control status: -Inadequately controlled -Out of control Or -Poorly controlled
Drug Underdosing	Document type: - Intentional versus - Unintentional	Document reason for underdosing, such as: -Financial hardship or - Age related dementia	



Pediatric Intensivists Tip Sheet for ICD-10

Diagnosis	Documentation Requirements		
Epilepsy	Document: - Intractable versus not intractable And - With or without status epilepticus	Specify type: - Localization-related idiopathic or symptomatic - Simple partial or complex partial seizures - Generalized idiopathic	Identify any special epileptic syndromes: - Seizures related to alcohol, drugs, sleep deprivation, etc. Include descriptions of poorly controlled pharmacoresistant, treatment resistant and refractory
Feeding Problems with Newborn (birth to 28 days old)	Document specific cause: - Regurgitation and rumination - Slow feeding - Underfeeding - Overfeeding - Difficulty with breast feeding	Document if: - Overfeeding - Difficulty feeding at breast - Failure to thrive	
Fever	Document the origin: - Postprocedural - Febrile nonhemolytic transfusion reaction - Unknown	Document the origin: - Drug-induced (identify the drug) - Postprocedural - Postvaccination	
Hypoxemia	Document the underlying cause of any questionable signs or symptoms	Document presence of: - Hypoxemia - Hypercapnia	Clarify any abnormalities originating in the perinatal period
Injuries	Document cause: - Motor vehicle accident - Fall down stairs, etc. Document activity: - Getting out of bed - Skateboarding, etc.	Document intention: - Accident - Assault - Self-inflicted - Undetermined	Document location: - Kitchen of residential home - Public park - Apartment bathroom, etc. Document work status at time of injury: - Military - Civilian - Hobby, recreational, etc.
Juvenile Rheumatoid Arthritis	Document: - If juvenile RA with systemic onset - If Pauciarticular juvenile RA	Document laterality: - Right - Left - Bilateral	Document specific site (e.g. shoulder, hip, knee etc.)
Major Depressive Disorder	Document episode: - Single - Recurrent	Document severity: - Mild - Moderate - Severe w/o psychotic symptoms - Severe w/ psychotic symptoms	Indicate status: - Full remission - Partial remission
Mood Disorders	Specify bipolar disorder episodes as: - Manic - Depressed - Mixed Provide information regarding the presence or absence of psychotic symptoms or features.	Clarify the remission status: - Full - Partial Detail the severity: - Mild - Moderate - Severe	Indicate episode: - Single - Recurrent episode
Neoplasms	Document: - Specific site, including laterality - Morphology (e.g., malignant, benign, in situ, etc.) - Uncertain behavior - Unspecified behavior	Detail when a patient has presented for a specific treatment related to the neoplasm (e.g., surgical removal, chemotherapy, immunotherapy, radiation therapy)	



Pediatric Intensivists Tip Sheet for ICD-10

Diagnosis	Documentation Requirements		
Otitis Media	<p>Document acuity:</p> <ul style="list-style-type: none"> - Acute - Subacute - Chronic - Recurrent <p>Document laterality:</p> <ul style="list-style-type: none"> - Right - Left - Bilateral 	<p>Document:</p> <ul style="list-style-type: none"> - Spontaneous rupture of eardrum - Myringitis <p>Document Type:</p> <ul style="list-style-type: none"> - Serous - Mucoïd - Allergic - Atticantral - Tubotympanic 	<p>Differentiate:</p> <ul style="list-style-type: none"> - Non-suppurative - Suppurative <p>Document tobacco use, abuse, dependence, or exposure</p> <p>Document underlying diseases (viral infection, influenza, etc.)</p>
Pneumonia	<p>Document type:</p> <ul style="list-style-type: none"> - Bacterial (specify organism) - Viral - Aspiration (specify substance) - Fungal - Ventilator Associated - Other 	<p>Document associated conditions:</p> <ul style="list-style-type: none"> - Sepsis - HIV disease - Influenza - Other 	<p>Document any tobacco use, abuse, dependence or exposure</p>
Respiratory Distress Syndrome	<p>Document type:</p> <ul style="list-style-type: none"> - Type I - Type 2 - Transient tachypnea of newborn 		
Respiratory Failure	<p>Document acuity:</p> <ul style="list-style-type: none"> - Acute - Chronic - Acute and Chronic 	<p>Document:</p> <ul style="list-style-type: none"> - With hypoxia and/or hypercapnia <p>Document any tobacco use, abuse, dependence, or exposure</p>	<p>Differentiate between:</p> <ul style="list-style-type: none"> - Respiratory Distress Syndrome - Respiratory Arrest - Postprocedural Respiratory Failure
Rhinitis	<p>Document acuity:</p> <ul style="list-style-type: none"> - Acute - Chronic <p>Document:</p> <ul style="list-style-type: none"> - With sore throat - Allergic with asthma (specify if exacerbation or status asthmaticus) 	<p>Document type:</p> <ul style="list-style-type: none"> - Allergic (due to food or pollen, seasonal, nonseasonal, perennial) - Infective - Pneumococcal - Syphilitic - Tuberculous - Vasomotor 	<p>Document any tobacco use, abuse, dependence, or exposure</p>
Seizures & Epilepsy	<p>Seizures not diagnosed as a disorder or recurrent (i.e., non-epileptic) should specify the condition as being:</p> <ul style="list-style-type: none"> - Febrile – specify simple or complex - New onset - Single seizure or convulsion - Post traumatic or hysterical - Autonomic 	<p>Specify epileptic seizures as:</p> <ul style="list-style-type: none"> - Localization-related - Generalized <p>Identify any special epileptic syndromes:</p> <ul style="list-style-type: none"> - Seizures related to alcohol, drugs, sleep deprivation, etc. <p>Include descriptions of poorly controlled pharmacoresistant, treatment resistant and refractory</p>	<p>Describe seizures as:</p> <ul style="list-style-type: none"> - Localized onset - Simple partial - Complex partial <p>Further describe seizures as:</p> <ul style="list-style-type: none"> - Intractable - Not intractable - With status epilepticus - Without status epilepticus
Sepsis	<p>Document:</p> <ul style="list-style-type: none"> - Systemic type or causal organism <p>Do NOT use the term UROSEPSIS (consider UTI with Sepsis)</p> <p>Document: Present on admission vs. hospital acquired</p>	<p>Document:</p> <ul style="list-style-type: none"> - Circulatory failure related to Sepsis and/or Septic Shock - Severe Sepsis with specific related acute organ dysfunction 	<p>Document:</p> <ul style="list-style-type: none"> - Related local infections (Pneumonia, Cellulitis, UTI, Catheter related UTI, Infected Dialysis Catheter, etc.)



Pediatric Intensivists Tip Sheet for ICD-10

Diagnosis Documentation Requirements

Sinusitis	Document acuity: <ul style="list-style-type: none">- Acute- Chronic- Acute Recurrent- Nocturnal enuresis	Document location: <ul style="list-style-type: none">- Maxillary- Frontal- Ethmoidal- Sphenoidal- Pansinusitis	Document any tobacco use, abuse, dependence, or exposure
Tobacco Use Disorder	Document type: <ul style="list-style-type: none">- Cigarettes- Chewing tobacco- Other Delineate between: <ul style="list-style-type: none">- Tobacco use/abuse- Tobacco dependence	Document state of dependence: <ul style="list-style-type: none">- In remission- With withdrawal- Without withdrawal	Document if used during pregnancy, childbirth, puerperium Describe history, including product and time